412 Alcohol-related hospital utilization and mortality in different occupations in Sweden in 1991–1995
Hemmingsson T, Ringbäck Weitoft G

Letters to the Editor

420 Association between pleural plaques and coronary heart disease *Sjögren B*

Consensus report

422 Airway allergy and worklife

426 ***Editorial news***

427 ***Announcements***

Volume 27, suppl 1, 2001

1–102 Criteria document for evaluating the work-relatedness of upper-extremity musculoskeletal disorders
Sluiter JK, Rest KM, Frings-Dresen MHW

Volume 27, suppl 2, 2001

1–52 Evaluation of physical workload standards and guidelines from a Nordic perspective *Fallentin N, Viikari-Juntura E, Wærsted M, Kilbom Å*

Author index

Almar E: see Zock J-P et al, p 76
Andersen JH: see Fallentin N et al, p 21
Antó JM: see Zock J-P et al, p 76
Aprea P: see Hagmar L et al, p 219
Ariëns GAM: see Hoogendoorn WE et al, p 258
Aronsson G: A new employment contract (editorial), p 361
Arutyunyan RM: see Nersesyan AK et al, p 120
Asterland P: see Hansson G-Å et al, p 30
Astrakianakis G: see Band PR et al, p 113
Axmon A: see Hagmar L et al, p 219
Axmon A: see Nielsen J et al, p 327
Bakke B, et al: Effects of blasting fumes on exposure and short-term lung function changes in tunnel construction workers, p 250
Bakker AB: see Demerouti E et al, p 279
Ball LM: see Schulz MR et al, p 14
Balogh I, et al: Questionnaire-based mechanical exposure indices for large population studies — reliability, internal consistency and predictive validity, p 41
Balogh I: see Hansson G-Å et al, p 30
Band PR, et al: Cohort cancer incidence among pulp and paper mill workers in British Columbia, p 113
Bardin J: see Eisen EA et al, p 240
Bert J: see Band PR et al, p 113
Blair A: see Elci OC et al, p 233
Boffetta P, et al: Exposure to titanium dioxide and risk of lung cancer in a population-based study from Montreal, p 227
Boffetta P: see Nersesyan AK et al, p 120
Bonde JP & Kolstad H: Study on postural stress and shoulder disorders (letter to the editor), p 82
Bonde JP: see Fallentin N et al, p 21
Bonde JP: see Gonge H et al, p 388
Bongers PM: see Hoogendoorn WE et al, p 258
Bouter LM: see Hoogendoorn WE et al, p 258
Bruze M: see Hagmar L et al, p 219
Burdorf A: see Hoozemans MJM et al, p 125
Burdorf A: see Jansen JP et al, p 373
Burr H: see Bøggild H et al, p 97
Bøggild H & Jeppesen HJ: Intervention in shift scheduling and changes in biomarkers of heart disease in hospital wards, p 87
Bøggild H, et al: Work environment of Danish shift and day workers, p 97
Chastang J-F: see Leclerc A et al, p 268
Cherrie JW: see Semple SE et al, p 395
Coggon D: Mortality attributable to work (commentary), p 214
Coggon D: see Palmer KT et al, p 49
Collins JJ: see Marsh GM, et al, p 5
Cooper C: see Palmer KT et al, p 49
Cooper CL: see Virtanen M et al, p 365
de Jonge J: see Demerouti E et al, p 279
de Vet HCW: see Hoogendoorn WE et al, p 258
de Vet HCW: see Konijnenberg HS et al, p 299
de Wilde NS: see Konijnenberg HS et al, p 299
Demerouti E, et al: Burnout and engagement at work as a function of demands and control, p 279
Demers PA: see Ostry AS et al, p 70
Dosemeci M: see Elci OC et al, p 233
Dudarewicz A: see Sliwinska-Kowalska M et al, p 335
Eduard W: see Skulberg KR et al, p 140
Eduard W: see Bakke B et al, p 250
Eisen EA, et al: Exposure-response models based on extended follow-up of a cohort mortality study in the automobile industry, p 240

412 Alcohol-related hospital utilization and mortality in different occupations in Sweden in 1991–1995
Hemmingsson T, Ringbäck Weitoft G

Letters to the Editor

420 Association between pleural plaques and coronary heart disease *Sjögren B*

Consensus report

422 Airway allergy and worklife

426 ***Editorial news***

427 ***Announcements***

Volume 27, suppl 1, 2001

1–102 Criteria document for evaluating the work-relatedness of upper-extremity musculoskeletal disorders
Sluiter JK, Rest KM, Frings-Dresen MHW

Volume 27, suppl 2, 2001

1–52 Evaluation of physical workload standards and guidelines from a Nordic perspective *Fallentin N, Viikari-Juntura E, Wærsted M, Kilbom Å*

Author index

Almar E: see Zock J-P et al, p 76
Andersen JH: see Fallentin N et al, p 21
Antó JM: see Zock J-P et al, p 76
Aprea P: see Hagmar L et al, p 219
Ariëns GAM: see Hoogendoorn WE et al, p 258
Aronsson G: A new employment contract (editorial), p 361
Arutyunyan RM: see Nersesyan AK et al, p 120
Asterland P: see Hansson G-Å et al, p 30
Astrakianakis G: see Band PR et al, p 113
Axmon A: see Hagmar L et al, p 219
Axmon A: see Nielsen J et al, p 327
Bakke B, et al: Effects of blasting fumes on exposure and short-term lung function changes in tunnel construction workers, p 250
Bakker AB: see Demerouti E et al, p 279
Ball LM: see Schulz MR et al, p 14
Balogh I, et al: Questionnaire-based mechanical exposure indices for large population studies — reliability, internal consistency and predictive validity, p 41
Balogh I: see Hansson G-Å et al, p 30
Band PR, et al: Cohort cancer incidence among pulp and paper mill workers in British Columbia, p 113
Bardin J: see Eisen EA et al, p 240
Bert J: see Band PR et al, p 113
Blair A: see Elci OC et al, p 233
Boffetta P, et al: Exposure to titanium dioxide and risk of lung cancer in a population-based study from Montreal, p 227
Boffetta P: see Nersesyan AK et al, p 120
Bonde JP & Kolstad H: Study on postural stress and shoulder disorders (letter to the editor), p 82
Bonde JP: see Fallentin N et al, p 21
Bonde JP: see Gonge H et al, p 388
Bongers PM: see Hoogendoorn WE et al, p 258
Bouter LM: see Hoogendoorn WE et al, p 258
Bruze M: see Hagmar L et al, p 219
Burdorf A: see Hoozemans MJM et al, p 125
Burdorf A: see Jansen JP et al, p 373
Burr H: see Bøggild H et al, p 97
Bøggild H & Jeppesen HJ: Intervention in shift scheduling and changes in biomarkers of heart disease in hospital wards, p 87
Bøggild H, et al: Work environment of Danish shift and day workers, p 97
Chastang J-F: see Leclerc A et al, p 268
Cherrie JW: see Semple SE et al, p 395
Coggon D: Mortality attributable to work (commentary), p 214
Coggon D: see Palmer KT et al, p 49
Collins JJ: see Marsh GM, et al, p 5
Cooper C: see Palmer KT et al, p 49
Cooper CL: see Virtanen M et al, p 365
de Jonge J: see Demerouti E et al, p 279
de Vet HCW: see Hoogendoorn WE et al, p 258
de Vet HCW: see Konijnenberg HS et al, p 299
de Wilde NS: see Konijnenberg HS et al, p 299
Demerouti E, et al: Burnout and engagement at work as a function of demands and control, p 279
Demers PA: see Ostry AS et al, p 70
Dosemeci M: see Elci OC et al, p 233
Dudarewicz A: see Sliwinska-Kowalska M et al, p 335
Eduard W: see Skulberg KR et al, p 140
Eduard W: see Bakke B et al, p 250
Eisen EA, et al: Exposure-response models based on extended follow-up of a cohort mortality study in the automobile industry, p 240

Ektor-Andersen J: see Balogh I et al, p 41
Elci OC, et al: Occupation and the risk of laryngeal cancer in Turkey, p 233
Elovainio M: see Virtanen M et al, p 365
Endahl L: see Fallentin N et al, p 21
Fallentin N, et al: Evaluation of physical workload standards and guidelines from a Nordic perspective, suppl 2
Fallentin N, et al: Physical exposure assessment in monotonous repetitive work — the PRIM study, p 21
Fang R: see Band PR et al, p 113
Fine LJ: see Punnett L & Fine LJ, p 82
Fiszer M: see Sliwinska-Kowalska M et al, p 335
Frings-Dresen MHW: see Hoozemans MJM et al, p 125
Frings-Dresen MHW: see Sluiter JK et al, suppl 1
Frost P: see Fallentin N et al, p 21
Gaborieau V: see Boffetta P et al, p 227
Gerritsen AAM: see Konijnenberg HS et al, p 299
Goffeng LO: see Skulberg KR et al, p 140
Gonge H, et al: Do psychosocial strain and physical exertion predict onset of low-back pain among nursing aides? p 388
Gore R: see Eisen EA et al, p 240
Granath F: see Hagmar L et al, p 219
Griffin MJ: see Palmer KT et al, p 49
Häkkänen M, et al: Incidence of musculoskeletal disorders among newly employed manufacturing workers, p 381
Härmä M: Shift work and cardiovascular disease — from etiologic studies to prevention through scheduling (editorial), p 85
Hagmar L, et al: Health effects of occupational exposure to acrylamide using hemoglobin adducts as biomarkers of internal dose, p 219
Hagmar L: How confident can we be that acrylonitrile is not a human carcinogen? (editorial), p 1
Hallock MF: see Eisen EA et al, p 240
Hansson G-Å, et al: Questionnaire versus direct technical measurements in assessing postures and movements of the head, upper back, arms and hands, p 30
Hemmingsson T & Ringbäck Weitoft G: Alcohol-related hospital utilization and mortality in different occupations in Sweden in 1991–1995, p 412
Hernberg S: Work-related factors and mortality — what is the burden? (editorial), p 157
Hershler R: see Ostry AS et al, p 70
Hertzman C: see Ostry AS et al, p 70
Hertz-Picciotto I: see Schulz MR et al, p 14
Hiltunen A: see Korhola O et al, p 154
Honda M: see Yamada Y et al, p 318
Hoogendoorn WE, et al: Psychosocial work characteristics and psychological strain in relation to low-back pain, p 258
Hoozemans MJM, et al: Group-based measurement strategies in exposure assessment explored by bootstrapping, p 125
Houtman ILD: see Hoogendoorn WE et al, p 258
Huuskonen O, et al: High-resolution computed tomography classification of lung fibrosis for patients with asbestos-related disease, p 106
Ishizaki M, et al: Socioeconomic status, workplace characteristics and plasma fibrinogen level of Japanese male employees, p 287
Iversen BG: see Wergeland E & Iversen BG, p 353
Järvholm BG: see Liljelind IE et al, p 311
Jansen JP, et al: A novel approach for evaluating level, frequency and duration of lumbar posture simultaneously during work, p 373
Janssen PPM: see Demerouti E et al, p 279
Jensen LD: see Gonge H et al, p 388
Jeppesen HJ: see Bøggild H & Jeppesen HJ, p 87
Jeppesen HJ: see Bøggild H et al, p 97
Jönsson BAG: see Rosqvist S et al, p 133
Jönsson B: see Nielsen J et al, p 327
Johannesson G: see Rosqvist S et al, p 133
Juul-Kristensen B: see Fallentin N et al, p 21
Kameda M: see Yamada Y et al, p 318
Karjalainen A: see Korhola O et al, p 154
Karjalainen A: see Nurminen M & Karjalainen A, p 161
Kauppinen T, et al: Occupational exposure to carcinogens in Estonia, Latvia, Lithuania and the Czech Republic in 1997 (short communication), p 343
Kautiainen A: see Hagmar L et al, p 219
Kayaba K: see Tsutsumi A et al, p 146
Keefe A: see Band PR et al, p 113
Kelly S: see Ostry AS et al, p 70
Kelsey K: see Lee S-S et al, p 402
Kilbom Å: see Fallentin N et al, suppl 2
Kivimäki M: see Virtanen M et al, p 365
Kivisaari L: see Huuskonen O et al, p 106
Kjuus H: Acrylamide in tunnel construction — new (or old) lessons to be learned? (editorial), p 217
Kjuus H: see Skulberg KR et al, p 140
Klasson E-B: see Nilsson PM et al, p 57
Kogevinas M: see Zock J-P et al, p 76
Kolstad H: see Bonde JP & Kolstad H, p 82
Konijnenberg HS, et al: Conservative treatment for repetitive strain injury (review), p 299
Korhola O, et al: Association between pleural plaques and coronary heart disease (short communication), p 154
Kotylo P: see Sliwinska-Kowalska M et al, p 335
Krewski D: see Band PR et al, p 113
Landre M-F: see Leclerc A et al, p 268
Le ND: see Band PR et al, p 113
Leclerc A, et al: Upper limb disorders in repetitive work, p 268
Lee B-K: see Lee S-S et al, p 402
Lee G-S: see Lee S-S et al, p 402
Lee S-S, et al: Associations of lead biomarkers and delta-aminolevulinic acid dehydratase and vitamin D receptor genotypes with hematopoietic outcomes in Korean lead workers, p 402
Leino T: see Kauppinen T et al, p 343
Levin JO: see Liljelind IE et al, p 311
Levy F: see Skulberg KR et al, p 140
Liljelind IE, et al: Comparison of self-assessment and expert assessment of occupational exposure to chemicals, p 311
Lindh CH: see Rosqvist S et al, p 133
Lund MB: see Bakke B et al, p 250
Magnusson A-L: see Hagmar L et al, p 219
Malmberg B: see Hagmar L et al, p 219
Malmivaara A: book review of *Systematic reviews in health care: meta-analysis in context*, p 358
Malmö Shoulder-Neck Study group: see Hansson G-Å et al, p 30
Marion SA: see Ostry AS et al, p 70
Marmot M: see Ishizaki M et al, p 287
Marsh GM, et al: Reevaluation of lung cancer risk in the acrylonitrile cohort study of the National Cancer Institute and the National Institute for Occupational Safety and Health, p 5
Martikainen P: see Ishizaki M et al, p 287
Martikainen R: see Korhola O et al, p 154
Martikainen R: see Häkkänen M et al, p 381
Mathiassen SE: see Hoozemans MJM et al, p 125
Mikkelsen S: see Fallentin N et al, p 21
Monson RR: see Eisen EA et al, p 240
Muniozguren N: see Zock J-P et al, p 76
Mustard C: see Ostry AS et al, p 70
Nadon L: see Boffetta P et al, p 227
Nakagawa H: see Ishizaki M et al, p 287
Nersesyan AK, et al: Chromosome aberrations in lymphocytes of persons exposed to an earthquake in Armenia, p 120
Niedhammer I: see Leclerc A et al, p 268
Nielsen J, et al: Exposure to hexahydrophthalic and methylhexahydrophthalic anhydrides — dose-response for

sensitization and airway effects, p 327
Nilsson PM, et al: Life-style intervention at the worksite — reduction of cardiovascular risk factors in a randomized study, p 57
Noborisaka Y: see Yamada Y et al, p 318
Nordander C: see Hansson G-Å et al, p 30
Nordander C: see Balogh I et al, p 41
Nordander C: see Hagmar L et al, p 219
Nurminen M & Karjalainen A: Epidemiologic estimate of the proportion of fatalities related to occupational factors in Finland, p 161
Nyberg P: see Nilsson PM et al, p 57
Ørbaek P: see Balogh I et al, p 41
Ohlsson K: see Balogh I et al, p 41
Ohlsson K: see Hansson G-Å et al, p 30
Ostry AS, et al: Comparison of expert-rater methods for assessing psychosocial job strain, p 70
Pajarskiene B: see Kauppinen T et al, p 343
Palmer KT, et al: Prevalence and occupational associations of neck pain in the British population, p 49
Pannett B: see Palmer KT et al, p 49
Parent M-E: see Boffetta P et al, p 227
Pawlaczyk-Luszczynska M: see Sliwinska-Kowalska M et al, p 335
Payo F: see Zock J-P et al, p 76
Pettersson Strömbäck AE: see Liljelind IE et al, p 311
Podniece Z: see Kauppinen T et al, p 343
Proud EA: see Semple SE et al, p 395
Punnett L & Fine LJ: Authors' reply (letter to the editor), p 82
Räsänen K: book review of *Systematic occupational health and safety management – perspectives on an international development*, p 292
Rappaport SM: see Liljelind IE et al, p 311
Rest KM: see Sluiter JK et al, suppl 1
Riihimäki H: see Korhola O et al, p 154
Ringbäck Weitoft G: see Hemmingsson T & Ringbäck Weitoft G, p 412
Rjazanov V: see Kauppinen T et al, p 343
Roquelaure Y: see Leclerc A et al, p 268
Rosén I: see Hagmar L et al, p 219
Rosqvist S, et al: Total plasma protein adducts of allergenic hexahydrophthalic and methylhexahydrophthalic anhydrides as biomarkers of long-term exposure, p 133
Rylander L: see Hansson G-Å et al, p 30
Rylander L: see Nielsen J et al, p 327
Sánchez JL: see Zock J-P et al, p 76
Sarkisyan TF: see Nersesyan AK et al, p 120
Schaufeli WB: see Demerouti E et al, p 279
Schulz MR, et al: Reconciling animal and human data in a cancer risk assessment of acrylonitrile, p 14
Schwartz BS: see Lee S-S et al, p 402
Semple SE, et al:A training exercise in subjectively estimating inhalation exposures, p 395
Siegrist J: see Tsutsumi A et al, p 146
Siemiatycki J: see Boffetta P et al, p 227
Simon D: see Lee S-S et al, p 402
Sjögren B: Association between pleural plaques and coronary heart disease (letters to the editor), p 420
Sjölander S: see Hansson G-Å et al, p 30
Skerfving S: see Hansson G-Å et al, p 30
Skerfving S: see Nielsen J et al, p 327
Skulberg KR, et al: Effects of electric field reduction in visual display units on skin symptoms, p 140
Skyberg K: see Skulberg KR et al, p 140
Sliwinska-Kowalska M, et al: Hearing loss among workers exposed to moderate concentrations of solvents, p 335
Sluiter JK, et al: Criteria document for evaluating the work-relatedness of upper-extremity musculoskeletal disorders, suppl 1
Smerhovsky Z: see Kauppinen T et al, p 343
Stewart P: see Bakke B et al, p 250
Stewart WF: see Lee S-S et al, p 402
Steyerberg E: see Jansen JP et al, p 373
Stolarek R: see Sliwinska-Kowalska M et al, p 335
Study Group on Repetitive Work: see Leclerc A et al, p 268
Sunesson A-LK: see Liljelind IE et al, p 311
Sunyer J: see Zock J-P et al, p 76
Suzuki H: see Yamada Y et al, p 318
Syddall H: see Palmer KT et al, p 49
Szymczak W: see Sliwinska-Kowalska M et al, p 335
Tannahill SN: see Semple SE et al, p 395
Taskinen K: see Huuskonen O et al, p 106
Teschke K: see Ostry AS et al, p 70
The Japan Work Stress and Health Cohort Study Group: see Ishizaki M et al, p 287
The Malmö Shoulder-Neck Study Group: see Balogh I et al, p 41
Theorell T: see Tsutsumi A et al, p 146
Tindall ME: see Semple SE et al, p 395
Todd AC: see Lee S-S et al, p 402
Todd L: see Schulz MR et al, p 14
Törnqvist M: see Hagmar L et al, p 219
Tossavainen A: see Huuskonen O et al, p 106
Tsutsumi A, et al: Association between job stress and depression among Japanese employees threatened by job loss in a comparison between two complementary job-stress models, p 146
Tüchsen F: see Bøggild H et al, p 97
Ulvestad B: see Bakke B et al, p 250
Unge Byström J: see Hansson G-Å et al, p 30
Vahtera J: see Virtanen M et al, p 365
van der Beek AJ: see Hoozemans MJM et al, p 125
van Mechelen W: see Hoogendoorn WE et al, p 258
van Tulder MW: see Konijnenberg HS et al, p 299
Vartia MA-L: Consequences of workplace bullying with respect to the well-being of its targets and the observers of bullying, p 63
Vehmas T: see Huuskonen O et al, p 106
Veidebaum T: see Kauppinen T et al, p 343
Verbeek JHAM: Vocational rehabilitation of workers with back pain (discussion paper), p 346
Viikari-Juntura E: Limited evidence for conservative treatment methods for work-related neck and upper-limb disorders — should we be worried? (editorial), p 297
Viikari-Juntura E: see Häkkänen M et al, p 381
Viikari-Juntura E: see Fallentin N et al, suppl 2
Virtanen M, et al: Contingent employment, health and sickness absence, p 365
Vistnes AI: see Skulberg KR et al, p 140
Wærsted M: see Fallentin N et al, suppl 2
Walker-Bone K: see Palmer KT et al, p 49
Weiderpass E: see Boffetta P et al, p 227
Welinder H: see Nielsen J et al, p 327
Wergeland E & Iversen BG: Deaths from pneumonia after welding (letter to the editor), p 353
Wesolowski W: see Sliwinska-Kowalska M et al, p 335
Winkel J: see Hansson G-Å et al, p 30
Winkel J: see Balogh I et al, p 41
Woskie SR: see Eisen EA et al, p 240
Yamada S: see Yamada Y et al, p 318
Yamada Y, et al: Excessive fatigue and weight gain among cleanroom workers after changing from an 8-hour to a 12-hour shift, p 318
Youk AO: see Marsh GM et al, p 5
Zalinyan GG: see Nersesyan AK et al, p 120
Zamyslowska-Szmytke E: see Sliwinska-Kowalska M et al, p 335
Zitting A: see Huuskonen O e t al, p 106
Zock J-P, et al: Asthma risk, cleaning activities and use of specific cleaning products among Spanish indoor cleaners, p 76

Key terms

12-hour shift, 318
8-hour shift, 318
absenteeism, 365
absorption, 279
accuracy, 125, suppl 2
acrylamide, 217, 219
acrylonitrile, 1, 5, 14
acute overload, suppl 2
acute pain onset, 388
adequacy, suppl 2
aged, suppl 2
air, 327
airway allergy, 422
airway effects, 327
alcoholism, 412
alcohol-related, 412
allergenic, 133
allergic contact dermatitis, 219
alpha-quartz, 250
animal data, 14
approach, 373
Armenia, 120
arms , 30
asbestos, 343
asbestos exposure, 154, 420
asbestos-related disease, 106
asbestosis, 106
assembly work, 381
assessment, 14, 21, 30, 70
association, 146, 154, 402, 420
asthma risk, 76
attributable fraction, 161, 214, 295
automobile assembly work, 82
automobile industry, 240
back injury, suppl 2
back pain, 346
benzene, 343
between-group variance, 21
bioassays, 14
biological monitoring, 133, 327
biomarkers, 87, 133, 219
blasting fumes, 250
blood, 133
body weight, 318
bone lead, 402
bootstrapping, 125
British Columbia, 113
broadening view, 354
bullying, 63
burden of disease, 161, 214, 295
burden, 157
burnout, 279
Canada, 227
cancer, 14, 233, 240
cancer incidence, 113
cancer risk, 14
carcinogenic potency, 14
carcinogens, 343
cardiovascular, 57
cardiovascular disease(s), 85, 87, 97
CAREX, 343
carpal tunnel syndrome, 268, suppl 1
carrying, suppl 2
case definitions, suppl 1
case-cohort, 240
case-control study, 233
case-crossover, 388
case-referent study, 233
causes, 49
central nervous system, 14
changes, 87
characteristics, 287
chelatable lead, 402
chemicals, 311
chromosome aberrations, 120
classification, 106
cleaning activities, 76
cleaning products, 76
cleanroom workers, 318
clinical practice guidelines, 346
cohort, 113
cohort mortality study, 240
cohort study, 5
commentary, 214
community, 49
comparison, 70, 146, 311
complementary, 146
compressed work, 318
computed tomography, 106
consensus report, 354, 422
consequences, 63
conservative, 297
conservative treatment, 299
contingent employment, 365
contingent work, 361
contract, 361
control, 279
controlled clinical trials, 299
coronary heart disease, 154, 420
criteria document, suppl 1
cross-sectional study, 402
cumulative trauma disorders, 299
cupital tunnel syndrome, suppl 1
Czech Republic, 343
day workers, 97
De Quervain's disease, suppl 1
deaths, 353
decline, suppl 2
dedication, 279
definitions, suppl 1
delta-aminolevulinic acid dehydratase, 402
demand-control model, 279
demands, 279
Denmark, 97, suppl 2
depression, 146
diesel exhaust, 250, 343
dimercaptosuccinic acid, 402
disability evaluation, 346
discussion paper, 346
disorders, 268, 297
display screen equipment, suppl 2
distal upper-extremity joint, suppl 1
dose-response, 327
dose-response associations, 219
duration of lumbar posture, 373
earthquake, 120
editorial, 1, 85, 157, 217, 297
effect(s), 140, 250
effectiveness, suppl 2
elbow, suppl 1
electric field reduction, 140
electromagnetic fields, 140
employees, 146
employment, 361
employment grade, 287
employment status, 365
energy consumption, suppl 2
energy expenditure, suppl 2
engagement, 279
environmental disease process, suppl 2
environmental tobacco smoke, 343
epicondylitis, 268
epidemiologic, 161, 295
epidemiologic methods, 161, 295
epidemiologic studies, 14
epidemiology, 5, , 87, 97, 125, 227, 373, 395
epistaxis, 327
equation for design and evaluation, suppl 2
ergonomic program management, suppl 2
ergonomic standards, suppl 2
ergonomics, 373
ergonomics program, suppl 2
ergonomics requirements, suppl 2
ergonomics rule, suppl 2
estimate, 161, 295
estimation, 395
Estonia, 343
etiologic studies, 85
etiology, 154
evaluation, 373, suppl 1, suppl 2
evaluation criteria, suppl 2
evidence, 297
excessive, 318
expert assessment, 70, 311
explore, 125
explosives, 250
exposure, 227, 250, 327, 335, 343, 373
exposure assessment(s), 21, 125, 354, 395, suppl 2, 311
exposure response, 41, 240
exposure-response model, 240
extended follow-up, 240
fatigue, 318
females, 412
Finland, 161, 295, suppl 2
flexor-extensor peritendinitis, suppl 1
follow-up, 14
force, suppl 2
force limits, suppl 2
forearm, suppl 1
forearm-wrist region, suppl 1
frequency of lumbar posture, 373
function, 279
gas chromatography, 133
genetic polymorphisms, 402
goniometer, 30
Great Britain, 49
group-based, 125
grouting agent, 219
guidelines, suppl 2

guidelines for practitioners, suppl 2
Guyon canal syndrome, suppl 1
hand(s), 30, suppl 1
hand activity level, suppl 2
hand-arm vibration, suppl 1
hand-transmitted vibration, suppl 2
head, 30
health, 365
health care, 358
health effects, 219
health psychology, 365
health requirements, suppl 2
health statistics, 161, 295
healthy workplace, 422
hearing loss, 335
heart disease, 87
hematopoietic outcome, 402
hematopoietic system, 402
hemoglobin adducts, 219
hexahydrophthalic anhydrides, 133, 327
hierarchical regression, 373
high-resolution computed tomography, 106
historical perspective, suppl 2
homogeneous exposure groups, 21
hospital staff, 365
hospital utilization, 412
hospital wards, 87
human carcinogen, 1
human data, 14
human exposure, suppl 2
identification of risk factors, suppl 2
ILO classification, 106
immunoglobulin E, 327
immunoglobulin G, 327
incidence, 381
inclinometer, 30
indoor cleaners, 76
induction time, 381
industrial psychology, 258
industrial workers, 5
infectious agent, 420
inflammatory response, 420
inhalation exposures, 395
internal dose, 219
international development, 292
interspecies comparison, 14
intervention, 57, 87
intervention study(ies), 87, 140
irritants, 76
irritative symptoms, 219
ischemic heart disease, 420
Japan, 146, 287
job, 30
job demand-control, 287
job design, suppl 2
job exposure, 41
job insecurity, 146, 365
job loss, 146
job satisfaction, 258
job strain, 70
job stress, 146
job-stress models, 146
kappa, 106
Korea, 402
kraft, 113
large population, 41
laryngeal cancer, 233
larynx, 233
lateral epicondylitis, suppl 1
Latvia, 343
lead biomarkers, 402
lead workers, 402
lead, 343
letters to the Editor, 82, 353, 420
leukemias, 113
level of lumbar posture, 373
life-style, 57
lifting, suppl 2
limited, 297
lipids, 57, 87
lipoproteins, 87
Lithuania, 343
longitudinal, 388
longitudinal study, 268
long-term employment, 412
long-term exposure, 133
low back, 381, 388
low-back pain, 258, 388
lumbar posture, 373
lung cancer, 154, 227
lung cancer risk, 5
lung fibrosis, 106
lung function changes, 250
lung neoplasms, 227
lymphocyte, 120
machinery ergonomics, suppl 2
machinery operation, suppl 2
male employees, 287
males, 412
management, 292
manual handling, suppl 2
manual lifting tasks, suppl 2
manual materials handling, 125, suppl 2
manufacturing workers, 381
mass spectrometry, 133
maximal aerobic capacity, suppl 2
measurement strategies, 125
mechanical exposure, 30
mechanical exposure index, 41
mechanical shock, suppl 2
mechanical vibration, suppl 2
medial epicondylitis, suppl 1
medical profession, 422
mental health, 365
meta-analysis, 358
metabolites, 327
metalworking fluids, 240
methods, 70
methylhexahydrophthalic anhydrides, 273, 133
misclassification, 21, 30
modeling, 395
moderate, 335
monotonous, 21
monotonous, repetitive work, suppl 2
Montreal, 227
mortality risks, 5
mortality, 157, 214, 412
movements, 30
multidisciplinary approach, 354
multilevel model, 373
musculoskeletal disorders, 30, 381, suppl 1, suppl 2
National Cancer Institute, 5
National Institute for Occupational Safety and Health, 5
neck, 41, 297, suppl 1
neck and shoulder, 381
neck pain, 49
new, 361
new lessons, 217
newly employed, 381
NIOSH lifting equation, suppl 2
nitrogen dioxide, 250
N-methylolacrylamide, 217, 219
noise, 335
nonspecific upper-extremity
nonstandard work contract, 361
Nordic perspective, suppl 2
Norway, suppl 2
novel approach, 373
nursing aides, 388
observation, 125
observer variation, 106
observers, 63
occupation, 30, 76, 125, 214, 233, 412
occupational, 49, 343
occupational association, 49
occupational diseases, 106
occupational epidemiology, 21, 233
occupational exposure level, 335
occupational exposure(s), 87, 97, 133, 161, 219, 227, 295, 311
occupational factors, 161, 295
occupational health, 292
occupational health physician, 346
occupational health services, 346
occupational monitoring, 311
office environment, 140
old lessons, 217
onset, 388
organic acid anhydrides, 133, 327
osteoarthrosis, suppl 1
overtime, 287
pain, 41
particles, 140
perceived health, 365
peripheral nervous symptoms, 219
peripheral neuropathy, suppl 1
perspectives, 292
physical exertion, 388
physical exposure, 21
physical load, 373
physical workload, 381, suppl 2
plasma fibrinogen, 287
plasma protein adducts, 133
pleural plaque(s) , 154, 420
pneumonia, 353
population, 49
population-based study, 227
postural stress, 82
posture(s) , 30, suppl 2
precision, 125
prediction, 388
prevalence, 49
prevention, 85, 87
PRIM study, 21
process-type standards, suppl 2
proportion of fatalities, 161, 295
proportional hazards model, 240
prospective cohort study, 258
prostate cancer, 113
psychogenic stress, 120
psychological behavior tests, 140
psychological health, 318
psychological strain, 258
psychological stress, 146, 258
psychological work environment, 63
psychosocial, 70, 258
psychosocial factors, 268
psychosocial strain, 388

psychosocial work conditions, 70
pulp and paper mill workers, 113
quantitative standards, suppl 2
questionnaire, 30, 41
radial nerve compression, suppl 1
radial tunnel syndrome, suppl 1
radiating neck complaints, suppl 1
radon, 343
randomized clinical trials, 299
randomized study, 57
Raynaud's phenomenon, suppl 1
receiver operating characteristic curve, 106
rectal cancer, 113
reduction, 57
reduction of adverse health effects, suppl 2
reduction of exposure, suppl 2
reevaluation, 5
relation, 258
relative risk, 335
reliability, 70
repetition, suppl 2
repetitive motion injuries, suppl 2
repetitive strain injury, 299
repetitive work, 21, 268, suppl 2
respiratory diseases, 76
return to work, 346
review, 299, 346, 358
risk, 227, 233
risk exposure assessment, suppl 2
risk factor(s), 57, 87, 258, suppl 2
rotator cuff syndrome, suppl 1
safety, 292
safety requirements, suppl 2
sawmills, 70
scheduling, 85
scientific coherency, suppl 2
scientific community, 422
screening, 57
selection, 412
self-assessment, 311
sensitization, 327
shift scheduling, 87
shift work, 85, 318
shift workers, 97
short-term, 250
short-term employment, 412
shoulder(s), 41, suppl 1
shoulder disorders, 82
shoulder-neck complaints, suppl 2
sick leave, 381
sickness absence, 365
silica, 343
simultaneously, 373
skin symptoms, 140
slip and fall injuries, suppl 2
smoking, 57
social support, 258
society, 422
socioeconomic status, 287
solar radiation, 343
solvents, 335
Spain, 76
sprays, 76
standards, suppl 2
static electric fields, 140
stomach cancer, 113
stress, 388
stress reactions, 63
styrene, 311
subjective, 395
sulfite, 113
survival, 381
susceptibility, 154
Sweden, 412, suppl 2
systematic, 292
systematic review(s), 299, 358
targets of bullying, 63
technical measurements, 30
temporal criteria, suppl 1
temporary employment, 365
temporary work, 361
tenosynovitis, suppl 1
terpenes, 311
threshold limit values, suppl 2
time pressure, 388
time-restricted employment contracts, 361
titanium dioxide, 227
tolerance, 87
toxicokinetics, 133
training exercise, 395
treatment, 299
treatment methods, 297
tunnel construction, 217
tunnel construction workers, 250
tunnel workers, 217, 219
Turkey, 233
type-1-allergy, 133
ulnar nerve compression, suppl 1
upper back, 30, suppl 1
upper extremity(ies) , suppl 1, suppl 2
upper limb, 268, 297, 381
upper-limb disorders, 268
upper-limb repetitive movements, suppl 2
urine, 133
usability, suppl 2
validity, 70
variation, 373
weight gain, 318
welding, 353
well-being, 63
whole-body vibration, suppl 2
vibration, suppl 2
vibration standards, suppl 2
view, 354
vigor, 279
visual display units, 140
vitamin D receptor genotype, 402
vocational advice, 422
vocational rehabilitation, 346
wood dust, 343
work, 87, 97, 146, 214, 279, 373
work characteristics, 258, 268
work environment, 97
work postures, suppl 2
work schedule, 87, 97
work stress, 318
worker participation, 311
workers, 335, 346, suppl 2
worklife, 422
workload, 30, suppl 2
workplace, 57, 287
workplace bullying, 63
work-related, 49, 157, 297, suppl 1
work-related asthma, 422
work-related cumulating trauma disorder, suppl 2
work-related factors, 157
work-related musculoskeletal disorders, 21, 299, suppl 2
work-related symptoms, 327
work-related upper-extremity musculoskeletal disorders, suppl 1
work-relatedness, suppl 1
worksite, 57
wrist, suppl 1
wrist tendinitis, 268
xylene, 335

Acknowledgments

The *Scandinavian Journal of Work, Environment & Health* wishes to express its gratitude to the following scientists, who were so kind as to act as reviewers for articles received during the period 1 September 2000 — 31 August 2001.

Torbjörn Åkerstedt
Anders Ahlbom
Antero Aitio
Maria Albin
Lars Alfredsson
Ragnar Andersson
Stig Arlinger
Bengt Arnetz
Gunnar Aronsson
Olav Axelson
Arnold Bakker
Allard van der Beek
A Bernard
Ulf Bergqvist
Pier Alberto Bertazzi
Aaron Blair
Anders Blomberg
Paolo Boffetta
Jens-Peter Bonde
Massimo Bovenzi
John Cherrie
David Coggon
Pietro Comba
Giovanni Costa
Paul Cullinan
Paul Demers
Margot van der Doef
Maureen Dollard
Christian Dormann
Wijnand Eduard
Kerstin Ekberg
Carl-Gustaf Elinder
Dag Elligsen
Maria Feychting
Alfred Franzblau
Gösta Gemne
Beth Gladen
Per Gregersen
Amanda Griffiths
Mats Grönblad
Finn Gyntelberg
Annika Härenstam
Timo Hakulinen
Lennart Hallsten
Amandus Harlan
Hans Hedenström
Dick J.J. Heederick
Pirjo Heikkilä
Markku Heliövaara
Maila Hietanen
VH Hildebrand
Gunnar Hillerdal
Erik Holst
Richard E Hughes
Lorentz M Irgens
Bengt Järvholm
Peter Janssen
Jan Johansson Hanse
Juhani Kangas
Antti Karjalainen
Ernst Kiesswetter
Ulla Kinnunen
Kristina Kjaerheim
Anders Kjellberg
Helge Kjuus
Stein Knardahl
Anders Knutsson
Manolis Kogevinas
Henrik Kolstad
Tage S Kristensen
Sverre Langård
Annette Leclerc
Päivi Leino-Arjas
Marja-Liisa Lindbohm
Ingvar Lundberg
Ritva Luukkonen
Antti Malmivaara
Christina Mapp
Kari-Pekka Martimo
Joseph McLaughlin
Theo Meijman
Olli S Miettinen
Seppo Miilunpalo
Friedhelm Nachreiner
Nancy Nelson
Mark J Niewenhuijsen
Hannu Norppa
Eija Nurminen
Claes-Håkan Nygård
Palle Örbaek
Jörgen H Olsen
Andrew F Olshan
Keith Palmer
Neil Pearce
Kimmo Räsänen
David Rempel
Christina Reuterwall
Hilkka Riihimäki
Hannu Rintamäki
Roger Rosa
Tapani Ruutu
Lars Rylander
Ragnar Rylander
Markku Sainio
Mikko Salaspuro
Markku Sallmen
Norbert Semmer
Johannes Siegrist
Bengt Sjögren
Staffan Skerfving
Lawrence Smith
Thomas J Smith
Juhani Smolander
Björn Söderfeldt
Kyle Steenland
Ulf Strömberg
Esa-Pekka Takala
Toon Taris
Jens Thomsen
Margareta Törnqvist
Allan Toomingas
Esko Toppila
Kjell Torén
Antti Tossavainen
Jill PG Urban
Jussi Vahtera
Olivier Vandeplas
Bo Veiersted
Paolo Vineis
Eva Vingård
Nina Völlestad
Jukka Vuori
Arne Wennberg
Peter Westerholm
Rolf Westgaard
Ewa Wigaeus-Tornqvist
Hans de Witte
Yuichi Yamada
Nico van Yperen
Gerhard A Zielhuis